



CITY OF SAINT PAUL
Christopher B. Coleman, Mayor

375 Jackson Street, Suite 220
Saint Paul, Minnesota 55101-1806

Telephone: 651-266-9007
Facsimile: 651-266-9124
Web: www.stpaul.gov/dsi

Accessible Parking (Signage)



1341.0428, Subpart 4. ADAAG 4.6.4: Signage.

Accessible parking spaces shall be designated as reserved by a sign showing the symbol of accessibility in part [1341.0476, subpart 7](#), and complying with Minnesota Statutes, section 169.346, subdivision 2, paragraph (a). Spaces complying with part [1341.0403, item E, subitem \(2\)](#), shall have an additional van-accessible sign mounted below the symbol of accessibility. Signs designating accessible parking spaces shall be centered on the head end of the space, located a maximum of 96 inches (2,440 mm) from the head of the space and be mounted from 48 inches (1,200 mm) to 60 inches (1,525 mm) between the bottom of the sign and the parking surface. The line of sight, from the driver's position of a vehicle parked in the space to the sign, shall not be obscured by permanent or temporary objects.

ACCESSIBLE PARKING SPACES

Site Plan Review


City of Saint Paul

Accessible parking must comply with the standards of the Americans with Disabilities Act.

Total # of Parking Spaces	# of Required Accessible Spaces
1 to 25	1
26 to 50	2
51 to 75	3
76 to 100	4
101 to 150	5
151 to 200	6
201 to 300	7
301 to 400	8
401 to 500	9
501 to 1000	*
1001 and over	**

* 2% of the total parking spaces

** 20 spaces + 1 for each 100 over 1000



Size of spaces

Accessible parking spaces must be 8' wide with an access aisle next to it. The access aisle must be 8' wide.

Location

Accessible spaces must be located as close as possible to accessible building entrances.

Signage

All accessible parking spaces must be designated with signs displaying the international handicapped symbol. (See the other side of this handout.) Painting a designation on the pavement is not sufficient.

Please call **266-9086** if you have any questions on these requirements.